

# Regular Functional Exercises And Their Impact on Developing Some Physical Fitness Components for Intermediate Students

*by Musamus Journal Of Physical Education And Sport (mjpes)*

---

**Submission date:** 18-Apr-2025 08:47PM (UTC+0530)

**Submission ID:** 2649923485

**File name:** Alaa\_Hadi\_Ali\_Kamar\_Al-Quraishi\_-.pdf (1.13M)

**Word count:** 4156

**Character count:** 22997



## Regular Functional Exercises And Their Impact on Developing Some Physical Fitness Components for Intermediate Students

<sup>1</sup>Alaa Hadi Ali Kamar Al-Quraishi

\*Corresponding Author: Alaa Hadi Ali Kamar Al-Quraishi, e-mail: [alaa.let.33@gmail.com](mailto:alaa.let.33@gmail.com)

<sup>1</sup>Faculty of Physical Education and Sports Sciences, Basrah University, Iraq.

<sup>1</sup>Directorate General of Wasit Education, Ministry of Education, Iraq.

### Abstract

**Objectives.** This research was initiated due to the observed weakness among second-grade intermediate students in several basic components of physical fitness, particularly balance, flexibility, and muscular strength. This condition is largely attributed to a lack of structured physical activity and the absence of lessons incorporating suitable functional exercises. Therefore, the study aimed to (1) design a regular functional exercise program to enhance specific physical fitness components and (2) identify the impact of these exercises on the physical fitness development of second intermediate grade students.

**Materials and Methods.** The research population consisted of 80 students, from which a sample of 50 was selected and divided equally into an experimental group (n=25) and a control group (n=25). The study ensured sample homogeneity and utilized various tools and measurement instruments, including appropriate physical tests. Functional exercises were implemented for the experimental group over a specified period, while the control group followed the standard curriculum. Data were analyzed using appropriate statistical methods to determine significant differences between pre- and post-test results.

**Results.** The results revealed significant improvements in the experimental group compared to the control group across the targeted fitness components: motor balance, flexibility, and muscular strength. The implementation of functional exercises and motor games contributed to better muscular coordination, improved balance, and faster response times. These enhancements positively influenced the students' performance in daily physical activities.

**Conclusion.** The study concluded that regular functional exercise programs are effective in improving key components of physical fitness among second-grade intermediate students. Functional training not only strengthens motor abilities but also enhances students' engagement and physical performance in everyday sports and physical education contexts.

**Keywords :** Functional exercises, Physical fitness, Intermediate students, Muscle strength, Motor balance.

### Introduction

Physical education and regular exercise play a crucial role in helping the body achieve an optimal level of fitness and maintaining a healthy weight, especially when implemented using proper methods. Within the school context, physical education classes serve as the only outlet where students can engage in various physical and motor activities amid predominantly academic subjects. These classes not only offer movement variety but also serve as an important medium to improve students' physical and motor abilities through weekly scheduled lessons. Therefore, it is essential to focus on enhancing students' physical capabilities through well-planned and consistent programs (Karasiévych et al., 2021).

One of the key areas that requires serious attention is the development of students' physical fitness components. The researcher believes this matter calls for more targeted investigation, especially through the use of a structured set of regular and effective functional exercises. These exercises are designed specifically for second-grade intermediate students, as this age group is characterized by high energy and rapid physical and mental growth. This stage requires the implementation of diverse programs and activities that not only improve physical fitness but also contribute to character development. Integrating functional exercises into physical education classes becomes a central aspect of this research, aiming to examine the impact of these exercises on physical fitness improvement, particularly among second-grade intermediate students who represent a vital age group requiring special attention to ensure balanced physical and motor development (Ahmed et al., 2022).

Recent years have witnessed rapid developments in many aspects of life, including physical education and its related components, particularly physical fitness. This area has gained growing interest from educators and professionals due to its significance in improving both general and school-based sports. However, many schools still apply outdated teaching methods, failing to keep up with modern advancements in physical education. As a result, student physical activity levels have continued to decline (Fikret & Leyla, 2020).

This decline in fitness is concerning as it negatively affects students' physical and psychological well-being. The core problem lies in the weakness of some essential fitness components, including explosive power, transitional speed, and agility. One of the main contributing factors is the lack of structured functional exercise programs within school physical education lessons. The current curricula often lack innovative strategies and methods, and their absence limits the opportunities for students to effectively develop physical fitness (Shareef, 2019).

Based on this background, the current research aims to: (1) develop a set of regular functional exercises that contribute to enhancing the physical fitness of second-grade intermediate

students; and (2) identify the effect of regular functional exercises on improving physical fitness in this age group.

## **Materials and Methods**

### **Study Participants.**

The study involved a purposive sample drawn from a population of 80 male students enrolled in the second-grade intermediate level at a boys' middle school. From this population, two intact classes were selected to participate in the experiment. Class A was assigned as the control group (n = 25), and Class B was designated as the experimental group (n = 25), making the total sample size 50 students, which represents approximately 63% of the target population. All participants were confirmed to be homogenous in terms of age, height, and body mass, as shown by their descriptive statistics: the mean age was 13.52 years (SD = 0.39), mean weight was 62 kg (SD = 7.96), and mean height was 158.4 cm (SD = 7.39). The torsion coefficients for all variables were within acceptable limits, indicating a normal distribution.

### **Study organization.**

The study employed an experimental design with two groups: one experimental and one control. Pre-tests were administered on October 1, 2024, under standardized conditions. The experimental group then participated in a regular functional exercise program from October 8 to December 31, 2024, consisting of three structured sections: (1) Preparatory phase (10 minutes) involving warm-up activities to increase heart rate and body temperature, (2) Main phase (30 minutes) featuring targeted exercises to develop motor balance, flexibility, and muscular strength, and (3) Cool-down phase (5 minutes) comprising slow walking and static stretching to return the body to resting state.

Three physical fitness tests were used in both pre- and post-assessments:

1. Motor balance test – standing on one leg with eyes closed (Malir et al., 2023),
2. Flexibility test – lateral trunk flexibility test (Al-Harbi, 2020),
3. Lower body muscle strength test – sit-to-stand test for 30 seconds (Guo, 2022).

The reliability and objectivity of the tests were confirmed using test–retest procedures with a 7-day interval and Spearman correlation coefficients. The reliability coefficients ranged from 0.80 to 0.87, and objectivity coefficients ranged from 0.90 to 0.92, indicating high scientific validity.

An exploratory experiment was conducted on September 25, 2024, with five students from the target population to ensure readiness of the tools, assess the assistant team's performance, and identify any procedural obstacles. Post-tests were conducted on January 6, 2025,

replicating the pre-test conditions to maintain consistency and ensure the reliability of the results.

### Statistical analysis.

Descriptive statistics were used to establish sample homogeneity and equivalence between groups prior to the intervention. Independent samples t-tests were conducted to compare pre-test means and ensure there were no statistically significant differences between the control and experimental groups in motor balance, flexibility, and muscular strength ( $p > 0.05$ ). The significance of differences between pre- and post-test results within and between the groups was then assessed using paired t-tests and independent t-tests, with a significance level set at 0.05. All statistical analyses were conducted to evaluate the impact of regular functional exercises on selected physical fitness components.

### Results

Presentation, analysis and discussion of the results of the pre- and post-tests of the control group

Table 1. Shows results of pre- and post-tests of the control group

Test	Measurement Unit	Pre-tests		Post-tests		Calculated T value	Tabular value	T Significant differences
		Mean	Standard deviation	Mean	Standard deviation			
Balance	Second	30,01	3	31,03	3	0,85		Insig.
Flexibility	cm.	8,5	0,5	8,7	0,6	0,72	2,145	Insig.
Muscular strength	Second	5,2	0,3	5,3	0,4	0,68		Insig.

\*Under significance level 0.05 and freedom score 11

It is clear from Table (4) that the arithmetic mean in the pre-test of the control group for the kinetic balance variable amounted to (30.01) and a standard deviation (3), while the arithmetic mean in the post-test reached (31.03) and a standard deviation (3), while the calculated value of (T) amounted to (0.85) and when compared with the tabular value of (2,145) and under the level of significance (0.05), it was found that the calculated value of (T) is smaller than the tabular value, which indicates that there is no significant difference between the pre- and post-test in the balance variable. Motor.

19 It is clear from Table (4) that the arithmetic mean in the pre-test of the control group for the elasticity variable amounted to (8.5) and a standard deviation of (0.5), while the arithmetic mean in the post-test reached (8.7) and a standard deviation (0.6), while the calculated value of (T) amounted to (0.72) and when compared with the tabular value of (2,145) and under the level of significance (0.05), it was found that the calculated value of (T) is smaller than the tabular value, which indicates that there is no significant difference between the pre- and post-test in the flexibility variable.

8 It is clear to us from Table (4) that the mean in the pre-test of the control group for the variable of muscle strength amounted to (5.2) and a standard deviation (0.3), while the arithmetic mean in the post-test reached (5.3) and a standard deviation (0.4), while the value of (T) calculated amounted to (0.68) and when compared with the tabular value of (2,145) and under the level of significance (0.05), it was found that the value of (T) calculated is smaller than the tabular value, which indicates that there is no significant difference between the pre- and post-test in muscle strength.

2 Results of pre- and post-tests for the experimental group

2 Table 5. Shows results of pre- and post-tests for the experimental group

Test	Measurement Unit	Pre-tests		Post-tests		Calculated T value	Tabular value	T Significant differences
		Mean	Standard deviation	Mean	Standard deviation			
Balance	Second	30	3	38	4	4,65		Sig.
Flexibility	cm.	8,5	0,5	7,0	0,6	3,92	2,145	Sig.
Muscular strength	Second	5,2	0,3	4,5	0,4	4,21		Sig.

\*Under significance level 0.05 and freedom score 11

2 It is clear from Table (5) that the arithmetic mean in the pre-test of the experimental group of the kinetic balance variable amounted to (30) and a standard deviation (3), while the arithmetic mean in the post-test reached (38) and a standard deviation (4), while the calculated value (T) amounted to (4.65) and when compared with the tabular value of (2,145) and under the level of significance (0.05), it was found that the calculated value of (T) is greater than the tabular value, which indicates a significant difference between the pre- and post-test in the kinetic balance variable And in favor of the post-test.

2 It is clear from Table (5) that the arithmetic mean in the pre-test of the experimental group for the lateral elasticity variable was (8.5) and a standard deviation of (0.5), while the arithmetic mean in the post-test was (7.0) and a standard deviation (0.6), while the calculated value of (T) was (3.92) and when compared with the tabular value of (2,145) and under the level of significance (0.05), it was found that the calculated value of (T) is greater than the tabular value, which indicates a significant difference between the pre- and post-test in the side elasticity variable. And in favor of the post-test.

2 It is clear from Table (5) that the arithmetic mean in the pre-test of the experimental group of the variable of muscle strength amounted to (5.2) and a standard deviation (0.3), while the arithmetic mean in the post-test reached (4.5) and a standard deviation (0.4), while the value of (T) calculated amounted to (4.21) and when compared with the tabular value of (2,145) and under the level of significance (0.05), it was found that the value of (T) calculated is greater than the tabular value, which indicates a significant difference between the pre- and post-test in the variable of muscle strength And in favor of the post-test.

### Discussion

3 Results of the control group showed that there are no significant differences between the pre- and post-tests for all components of the targeted physical fitness (motor balance, flexibility, muscular) and this shows us that the control group was not exposed to the functional exercises included in the units of the applied program and therefore no significant change in the level of physical fitness was achieved during the application period and the main reason for not having this change in the components of physical fitness for the survival of the control group in weekly routine physical education lessons without a noticeable change and this matter It has a great impact on the absence of any significant difference between the pre- and post-tests.(Sonchan et al., 2017)

Regular functional exercises are an effective and influential educational tool for the development of the components of physical fitness for students in this research has been designed and prepared a program that includes functional exercises directed to the development of some components of physical fitness for students of the second grade intermediate (motor balance, lateral flexibility and muscle strength) The results of the post-test showed significant differences between the experimental group and control and in favor of the experimental.(Ihsan et al., 2023)

This indicates the clear positive impact of regular functional exercises on the components of the targeted physical fitness in the motor balance test the results showed a clear and positive change due to the use of functional exercises that suit the target variable and the age stage of students and showed their ability to maintain balance during the exercise of movement and performance of functional exercises, including walking on a wooden board and various stretching exercises because they contribute to the development of motor balance for students and enhance their physical fitness, and this was confirmed by Khazaal that such regular exercises in daily activities and classes contribute to the overall development of physical performance in general because they include different movements in directions, increase joint flexibility, and improve the fixed and mobile balance of students.(Khazaal, 2025) .Van indicated that functional exercises have a major role in developing muscular and neural coordination, which positively affects the improvement of motor balance through regular programs for students.(Van der Woude et al., 2022)

With regard to flexibility and the role played by functional exercises in their development, this is evident through the use of many functional exercises, including lateral bending and its importance confirmed by Hassan Abdel Rahman, as such exercises help to develop flexibility and increase the range of motion of the two sides with the combination of sitting exercise and lateral extension during the application of units for functional exercises because they improve the flexibility of joints and ligaments. (Hassan Abdel Rahman: 2019, 136)

and because flexibility is one of the components of general fitness, it participates in all exercises and activities performed by students in physical education lessons, but it needs to be organized and coordinated, as shown by Muhammad Ahmed and others that whenever flexibility takes the wide range of movement, this has contributed to its development in different forms, which helps to reach the ideal performance of the intended activities and exercises. (Muhammad Ahmed et al.: 2022, 4)

Guo stressed the role of great flexibility in developing the basic skills of the components of physical fitness, including flexibility through the performance of exercises in a technical manner free of performance and characterized by high flexibility for the different joints of the body because most of the exercises and applied need a wide range of movement.(Guo, 2022)

As for the variable of muscle strength, the functional exercises that have been applied have a great, clear and positive impact on students using and applying several exercises, activities and games, including ropes, squats and fast running, which were applied regularly during the



activities that were chosen, which contributed to the development of fitness components, including muscle strength. And short running there is no speed without muscle strength during motor performance. (Fifo & Janoušek, 2022)

The improvement in muscular strength was highlighted by observing the good performance of students for most of the functional exercises that have been developed, and this is consistent with what Abdullah Al-Lami showed that the development required for physical fitness in terms of sports is evident in the ability to perform the required sports events with high efficiency and optimal performance as required by the conditions of performance of this specific event. (Borges et al., 2022)

The researcher believes that multiple and different types of functional exercises must be used because they contribute to the participation of more groups of muscle fibers to achieve the specific and required sports goal, provided that the exercises and sports activities are in line with the usual exercises for students and are consistent with their age stage, and here it turns out that the use of regular functional exercises clearly contributed to the development of the components of the targeted physical fitness as it focused on exercises that almost match what students practice in their daily lives, depending on the extent of Movement for the variable of flexibility exercise lengthening and others and other directed towards the development of muscle strength with various exercises. (Umamaheswari, 2024)

## **21** **Conclusions**

The findings of the study demonstrate the significant effectiveness of regular functional exercises in enhancing key physical fitness components, specifically explosive power, transitional speed, and agility. The consistent implementation of these exercises not only improved students' physical capabilities but also played a major role in increasing their enthusiasm and active engagement during lessons. The well-designed and enjoyable structure of the training units contributed to a positive learning atmosphere, encouraging students to participate more effectively. Furthermore, the success of this approach among second-grade intermediate students suggests its broader applicability to other age groups and educational settings, offering a promising direction for wider implementation.

Based on these conclusions, several recommendations can be proposed to maximize the benefits of functional exercises in school physical education. First, regular functional exercises should be integrated as a core element of the physical education curriculum due to their proven impact on students' fitness development. Second, it is essential to diversify the content of physical activities within PE lessons to ensure a comprehensive improvement of all physical fitness components. Third, training programs should be provided for physical education teachers to equip them with the skills needed to design and implement engaging functional exercise routines. Fourth, further research should be conducted across different age groups to explore the broader effects and adaptability of these exercises. Lastly, to enhance student interest and motivation, functional exercises should be combined with modern technological tools such as smart applications that can make physical activity more interactive and appealing.

**18**

### **Recommendations**

In light of the objective of the research and its results and guided by the conclusions, the researcher recommends the following:

**18**

- 1- The need for further research to validate and expand upon the current findings.
- 2- The need for longitudinal studies or replication with larger and more diverse samples would add value.
- 3- The need to use the training curriculum because of its positive impact on players performance.
- 4- Directing the results of this research to the coaches and training Committee to benefit from these results.
- 5- Conducting more studies and scientific research using various training curricula and programs to improve the skills of all activities in general.

### **References**

Ahmed, U., Jhaveri, R. H., Srivastava, G., & Lin, J. C.-W. (2022). Explainable Deep Attention Active Learning for Sentimental Analytics of Mental Disorder. *ACM Transactions on Asian and Low-Resource Language Information Processing*. <https://doi.org/10.1145/3551890>

Borges, L., Dermargos, A., Gorjão, R., Cury-Boaventura, M. F., Hirabara, S. M., Abad, C. C., Pithon-Curi, T. C., Curi, R., Barros, M. P., & Hatanaka, E. (2022). Updating futsal physiology, immune system, and performance. *Research in Sports Medicine*, 30(6), 659–676.

Fikret, A., & Leyla, S. (2020). Physical activity and physical fitness levels of

convicts/detainees remaining in closed penalty execution institutions. *Pamukkale Journal of Sport Sciences*, 3, 28–41.

**6** Fiřo, P., & Janouřek, O. (2022). The relation between physical and mental load, and the course of physiological functions and cognitive performance. *Theoretical Issues in Ergonomics Science*, 23(1), 38–59. <https://doi.org/10.1080/1463922X.2021.1913535>

**22** Guo, P. (2022). Effects of abdominal core strengthening on flexibility in tae kwon do athletes. *Revista Brasileira de Medicina Do Esporte*, 29, e2022\_0336.

**9** Ihsan, N., Mario, D. T., & Mardesia, P. (2023). The effect of learning methods and motor skills on the learning outcomes of basic techniques in volleyball. *Journal of Physical Education and Sport*, 23(9), 2453–2460.

**4** Karasievych, S., MAKSYMCHUK, B., Kuzmenko, V., Slyusarenko, N., Romanishyna, O., Syvokhop, E., Kolomitseva, O., Romanishyna, L., Marionda, I., & Vykhreshch, V. (2021). Training future physical education teachers for physical and sports activities: Neuropedagogical approach. *BRAIN. Broad Research in Artificial Intelligence and Neuroscience*, 12(4), 543–564.

**15** Khazaal, J. A. (2025). The Effect of Different Resistance Exercises on Physical Variables and Performance in 200 m Runners. *Indonesian Journal of Physical Education and Sport Science*, 5(1), 103–112. <https://doi.org/10.52188/ijpess.v5i1.1074>

**13** Malř, R., Chrudimský, J., řteřl, M., & Stastný, P. (2023). A systematic review of dynamic, kinematic, and muscle activity during Gymnastic still rings elements. *Sports*, 11(3), 50.

**10** Parraca, J. A., Adsuar, J. C., Domřnguez-Muřoz, F. J., Barrios-Fernandez, S., & Tomas-Carus, P. (2022). Test-retest reliability of isokinetic strength measurements in lower limbs in elderly. *Biology*, 11(6), 802.

Shareef, Q.B., J. A. J. (2019). Effect of using modified training equipments to develop some physical abilities in football for youth. *Alutroha*, 2, 173–184.

**21** Sonchan, W., Moungmee, P., & Sootmongkol, A. (2017). The effects of a circuit training program on muscle strength, agility, anaerobic performance and cardiovascular endurance. *International Journal of Sport and Health Sciences*, 11(4), 176–179.

**16** Umamaheswari, D. D. (2024). Role of Artificial Intelligence in Marketing Strategies and Performance. *Migration Letters*, 21(S4), 1589–1599.

**12** Van der Woude, D. R., Ruyten, T., & Bartels, B. (2022). Reliability of muscle strength and muscle power assessments using isokinetic dynamometry in neuromuscular diseases: a systematic review. *Physical Therapy*, 102(10), pzac099.

Wilk, K. E., Arrigo, C. A., & Davies, G. J. (2024). Isokinetic testing: why it is more important today than ever. *International Journal of Sports Physical Therapy*, 19(4), 374.

# Regular Functional Exercises And Their Impact on Developing Some Physical Fitness Components for Intermediate Students

## ORIGINALITY REPORT

20%

SIMILARITY INDEX

%

INTERNET SOURCES

20%

PUBLICATIONS

%

STUDENT PAPERS

## PRIMARY SOURCES

- 1

Muhammad Zaenal Arwih. "Pengaruh Latihan Knee Tuck Jump Terhadap Kemampuan Lompat Jauh", Gelanggang Olahraga: Jurnal Pendidikan Jasmani dan Olahraga (JPJO), 2022  
Publication

4%
- 2

Arab World English Journal, Mohd Haniff Mohd Tahir, Intan Safinas Mohd Ariff Albakri, Airil Haimi Mohd Adnan et al. "The Application of Visual Vocabulary for ESL Students' Vocabulary Learning", SocArXiv, 2020  
Publication

2%
- 3

Baleta, Pauline Teresa. "Equine Assisted Object-Relations Psychotherapy for Adolescents with a Diagnosis of Conduct Disorder: An Exploratory Study", University of Pretoria (South Africa), 2023  
Publication

1%
- 4

Nadia Tri Wulandari, Sujarwo Sujarwo. "The effectiveness of hurdle jump training on the ability of mawashi geri kicks in karate martial arts", Jurnal SPORTIF : Jurnal Penelitian Pembelajaran, 2023  
Publication

1%
- 5

Ribeiro, João Nuno Gonçalves. "Elite Performance in Futsal - Towards an Integrative Approach of Physical to Individual

1%

## Tactical Actions", Universidade da Beira Interior (Portugal), 2024

Publication

6

"Information Systems and Neuroscience", Springer Science and Business Media LLC, 2022

Publication

1 %

7

T. Chaisen, P. Charoenkwan, C. G. Kim, P. Thiengburanathum. "A Zero-Shot Interpretable Framework for Sentiment Polarity Extraction", IEEE Access, 2023

Publication

1 %

8

Dunn, Justin Theodore. "The Use of Mobile Technology in Abductive Inquiry-Based Teaching and Learning of Chemical Bonding in Grade 11 Physical Sciences.", University of Johannesburg (South Africa), 2024

Publication

1 %

9

Nurul Ihsan, Yulkifli Yulkifli, Ahmaddul Hadi, Yohandri Yohandri, Deby Tri Mario, Novadri Ayubi, Aydin Karacam, Zsolt Németh. "Sensor-based scoring system for the fighting category in Pencak Silat", Retos, 2024

Publication

1 %

10

Carolina A. Cabo, Víctor Hernández-Beltrán, Orlando Fernandes, Cláudia Mendes et al. "Evaluating the Effects of Sensorimotor Training on the Physical Capacities of Older People", European Journal of Investigation in Health, Psychology and Education, 2025

Publication

1 %

11

Erikli, Sultan. "Development and Implementation of a Values Education Program for Pre-School Children.", Middle East Technical University (Turkey), 2024

1 %

12

Kaiyong Wang, Xuyu Wang, Yanqiu Wang.  
"Factors, mechanisms and improvement  
methods of muscle strength loss", *Frontiers in  
Cell and Developmental Biology*, 2024

Publication

1 %

13

Roman Malíř, Jan Chrudimský, Michal Šteffl,  
Petr Stastny. "A Systematic Review of  
Dynamic, Kinematic, and Muscle Activity  
during Gymnastic Still Rings Elements",  
*Sports*, 2023

Publication

1 %

14

Joffrey Drigny, Nicolas Pamart, Hélène  
Azambourg, Marion Remilly, Emmanuel  
Reboursière, Antoine Gauthier, Amir Hodzic.  
"Impact of a 20-Week Resistance Training  
Program on the Force-Velocity Profile in  
Novice Lifters Using Isokinetic Two-Point  
Testing", *Journal of Functional Morphology  
and Kinesiology*, 2024

Publication

&lt;1 %

15

Mohammad Syaiful Bahri, Fajar Hidayatullah,  
Septyaningrum Putri Purwoto, Haryo Mukti  
Widodo. "Physical Capacity Survey of Sports  
Education Student Class 2022 STKIP PGRI  
Bangkalan", *Jurnal Maenpo : Jurnal  
Pendidikan Jasmani Kesehatan dan Rekreasi*,  
2024

Publication

&lt;1 %

16

Hannah D. Walters, Rachel M. Hammond. "AI  
in Marketing - Applications, Insights, and  
Analysis", *Routledge*, 2025

Publication

&lt;1 %

17

"Innovative Design and Intelligent  
Manufacturing", *IOS Press*, 2024

&lt;1 %

18 Mostafa Zidan Farag. "A proposed plan for the marketing and promotion of weightlifting championships", Assiut Journal of Sport Science and Arts, 2018

Publication

<1 %

19 Arab World English Journal, Sabah Salman Sabbah. "The Effect of Semantic Mapping and Question Generation Teaching Strategies on English as a Second Language Tertiary Students' Reading achievement", SocArXiv, 2020

Publication

<1 %

20 B.M.K. Prasad, Karan Singh, Shyam S. Pandey, Richard O'Kennedy. "Communication and Computing Systems", Routledge, 2019

Publication

<1 %

21 Thomas Reilly, Jan Cabri, Duarte Araújo. "Science and Football V - The Proceedings of the Fifth World Congress on Sports Science and Football", Routledge, 2019

Publication

<1 %

22 Peipei Guo. "EFFECTS OF ABDOMINAL CORE STRENGTHENING ON FLEXIBILITY IN TAE KWON DO ATHLETES", Revista Brasileira de Medicina do Esporte, 2023

Publication

<1 %

23 Arab World English Journal, Mohammad Awwad. "Exophoric and Endophoric Awareness", SocArXiv, 2017

Publication

<1 %

24 Ania Zubala, Vicky Karkou. "Arts Therapies in the Treatment of Depression", Routledge, 2018

Publication

<1 %

25 Aya Hammami, Hela Ghali, Nour Elleuch, Ben Saad Omar Khalil, Hanen Jaziri, Mehdi Ksiaa, Habiba Sik Ali. "The value of learning to perform ascites puncture using procedural simulation in maintaining skills in the medium term: a quasi-experimental study", Research Square Platform LLC, 2023  
Publication

---

26 Maurício Facchini, José Afonso, Ana Ramos, Patrícia Coutinho et al. "Could Sports Coaching Contexts Learn From Planning Models in Physical Education Contexts? Exploring the Parallels and Divergences Regarding Planning Between Both Contexts", International Sport Coaching Journal, 2025  
Publication

---

27 Tucel, Sabahat Tugçe. "Investigating the Effects of Science Writing Heuristic Approach on Eight Grade Students' Achievement, Metacognition and Epistemological Beliefs.", Middle East Technical University (Turkey), 2024  
Publication

---

28 Weerasak Tapanya, Noppharath Sangkarit, Patchareeya Amput. "Exploring Nintendo Wii Balance Board as a tool to assess lower limb muscle strength for fall risk screening in elderly women", Translational Medicine of Aging, 2025  
Publication

---

29 International Journal for Lesson and Learning Studies, Volume 1, Issue 3 (2012-08-25)  
Publication

---

30 Hanoi National University of Education  
Publication

---



---

Exclude quotes	Off	Exclude matches	Off
Exclude bibliography	Off		