

Effects of an Eight-Week Game-Based Training Program on VO_2 max in U15 Players at SSB Nggaro Lembo Sape

by Alvin Alvin

Submission date: 15-Jul-2026 09:23AM (UTC+0530)

Submission ID: 2998257946

File name: hasil_Revisi_artikel_Alvin_new_1_-_upload_ojs.docx (107.64K)

Word count: 2954

Character count: 18968

Effects of an Eight-Week Game-Based Training Program on VO₂max in U15 Players at SSB Nggaro Lembo Sape

M. Alvin Maulana^{1*}, Mulyadi², Anhar³

¹STKIP Taman Siswa Bima, Indonesia

²STKIP Taman Siswa Bima, Indonesia

³STKIP Taman Siswa Bima, Indonesia

Corresponding Author: alvin@gmail.com

Abstract

Objectives: Game-based training is a football training method that integrates physical, Under-15 (U15) development stage, improving aerobic capacity (VO₂max) is essential for maintaining performance intensity during training and competition. This study aimed to analyze the effectiveness of a game-based training program in improving the VO₂max of U15 players at SSB Nggaro Lembo Sape.

Materials and Methods: This study employed a quantitative approach with a pre-experimental one-group pretest-posttest design. The participants were 20 male U15 football players selected through purposive sampling. The intervention consisted of a structured game-based training program conducted over eight weeks, with three training sessions per week and 20–30 minutes of core training in each session. VO₂max was estimated using the Multistage Fitness Test, also known as the Beep Test. Data were analyzed using the Shapiro–Wilk normality test and a paired-samples t-test at a significance level of $\alpha = 0.05$.

Results: The mean VO₂max increased from $43.20 \pm 3.60 \text{ mL} \cdot \text{kg}^{-1} \cdot \text{min}^{-1}$ at pretest to $47.00 \pm 3.40 \text{ mL} \cdot \text{kg}^{-1} \cdot \text{min}^{-1}$ at posttest. The paired-samples t-test indicated a statistically significant improvement in VO₂max following the intervention ($t = -6.80, p < 0.001$).

Conclusions: The eight-week game-based training program significantly improved the VO₂max of U15 players at SSB Nggaro Lembo Sape. This training method may be used as an integrated and practical strategy for developing aerobic endurance in youth football training. However, the findings should be interpreted within the context of the one-group pre-experimental design.

Keywords: aerobic endurance; football training; game-based training; U15 football players; VO₂max

Introduction

Modern football is an intermittent team sport that requires players to repeatedly perform high-intensity activities, including sprinting, accelerating, decelerating, changing direction, pressing, and transitioning between attacking and defensive phases, interspersed with periods of lower-intensity activity and brief recovery (Kuswoyo et al., 2020; Kuswoyo & Betaubun, 2019). At the under-15 (U15) developmental stage, adequate aerobic capacity is essential because it supports players' ability to maintain work intensity, recover between repeated high-intensity efforts, and delay the onset of fatigue during training and competition (Hung et al., 2025;

Jastrzębski et al., 2024). Although football performance is determined by the interaction of physical, technical, tactical, and psychological factors, maximal oxygen uptake (VO_2max) remains an important indicator of aerobic fitness and endurance capacity in youth football players (Düking et al., 2024; Pancar et al., 2025).

A well-developed aerobic system contributes not only to sustained running performance but also to more efficient recovery between intense actions. This capacity is particularly relevant in phases of play that involve repeated pressing, rapid transitions, and continuous repositioning. When aerobic fitness is inadequate, players may experience an earlier decline in running intensity, movement quality, concentration, and technical execution. Therefore, the systematic development and monitoring of VO_2max should constitute an important component of long-term player development, particularly during adolescence, when physical and physiological capacities are undergoing substantial development (Chmura et al., 2023; Düking et al., 2024).

One training method that may address the multidimensional demands of football is game-based training, commonly implemented through small-sided games. This approach uses modified forms of football in which coaches manipulate variables such as pitch dimensions, the number of players, work-to-rest intervals, scoring systems, tactical objectives, and specific rules. Such modifications allow coaches to regulate the physiological and physical demands imposed on players while maintaining technical actions, tactical interactions, perception, and decision-making within representative game situations. Consequently, game-based training possesses strong practical relevance because its movement patterns and decision-making demands closely resemble those encountered during actual match play (Chen et al., 2023; Clemente et al., 2021; Pancar et al., 2025).

The manipulation of game constraints can produce different training responses. Reducing the number of players may increase individual involvement, ball contacts, changes of direction, and the frequency of technical actions, whereas increasing the relative playing area may expose players to greater running distances and higher-speed movements. Similarly, continuous and intermittent game formats may produce different cardiovascular, perceptual, and fatigue responses. Therefore, game-based training should not be viewed merely as unrestricted match play; rather, it should be systematically designed by adjusting intensity, volume, recovery, pitch size, and task constraints according to the intended training outcomes (Chen et al., 2023; Jastrzębski et al., 2024; Pancar et al., 2025).

Previous studies have demonstrated the potential of game-based and small-sided training to improve important physical-performance indicators among young football players. (Karahan, 2020) reported that small-sided games produced improvements in the physical performance of

young football players, including aerobic fitness. More recent evidence indicates that both continuous and intermittent small-sided games can improve aerobic and anaerobic performance in male youth football players, although the magnitude of adaptation may depend on the training format and participants' initial fitness levels (Guo, 2025; Piotrowski et al., 2025; Rumpoko et al., 2025). An eight-week game-based high-intensity interval training intervention also showed that pitch dimensions influenced players' physical loads and time-motion responses, emphasizing the importance of carefully designing game formats to obtain the intended physiological stimulus (Kuswoyo et al., 2017; Mănescu, 2025; Purwanto et al., 2025).

In addition to its physiological benefits, game-based training can simultaneously facilitate technical execution, tactical awareness, and active involvement in training. A systematic review and meta-analysis found beneficial effects of small-sided game interventions on the technical execution of young team-sport players (Moore, 2026; Tampi et al., 2025). Game-based activities may also be perceived as more enjoyable than running-based high-intensity interval training performed at a comparable exercise intensity. Greater enjoyment may help maintain motivation, participation, and adherence among adolescent players, particularly when training is performed repeatedly over several weeks (Selmi et al., 2020). Therefore, game-based training provides a potentially time-efficient method for integrating physical conditioning with football-specific learning rather than separating fitness exercises from technical and tactical practice.

Youth football development at community-based football schools, including Sekolah Sepak Bola Nggaro Lembo Sape, faces several practical challenges. These include limited facilities, variations in coaching experience, restricted training time because players are school students, and the absence of sophisticated equipment for monitoring training loads. Under these circumstances, training sessions may predominantly emphasize fundamental techniques and unrestricted games, while the intensity, volume, recovery, and progression of aerobic conditioning are not always systematically planned. Based on preliminary field observations, several players appeared to fatigue relatively quickly during internal matches, had difficulty maintaining their playing intensity in the second half, and demonstrated reduced effectiveness during pressing and repeated transition phases. These observations suggest that performance limitations may not result solely from technical deficiencies but may also be associated with insufficient aerobic preparedness.

The local training environment represents an additional consideration. Training is commonly conducted in the afternoon after school, often under hot and humid conditions and on pitches of varying quality. These circumstances may increase players' perceived exertion and physiological strain, especially when the training load is not adjusted to environmental conditions

and individual capabilities. Evidence from young male football players indicates that exposure to hotter conditions during small-sided games can increase psychophysiological demands and negatively affect certain aspects of technical performance (Kang et al., 2024). Therefore, training programs should be designed according to the players' developmental characteristics, environmental conditions, recovery status, and available facilities.

Despite growing evidence supporting small-sided and game-based training, context-specific evidence is still required to determine whether a structured program can effectively improve the aerobic capacity of U15 players in a community football school with limited resources. Game-based training is particularly relevant to this setting because it may address three developmental needs simultaneously: improving aerobic fitness, developing football-specific decision-making, and maintaining player motivation without requiring complex facilities or expensive training equipment.

Accordingly, this study aimed to examine the effects of an eight-week structured game-based training program on the VO_{2max} of U15 players at SSB Nggaro Lembo Sape. The findings are expected to provide practical evidence for youth football coaches in Sape and surrounding areas regarding the development of a focused, measurable, and contextually appropriate aerobic training program. It was hypothesized that the eight-week game-based training program would significantly increase players' VO_{2max} , thereby improving their capacity to maintain work intensity and recover between repeated high-intensity activities during training and match play.

Materials and Methods

Study Participants

This study involved 20 male players in the U15 category from SSB Nggaro Lembo Sape. Subjects were selected using purposive sampling with the following inclusion criteria: (1) actively participating in routine training at least three times per week, (2) not having experienced any injuries in the last three months, and (3) obtaining written permission from parents/guardians to participate in the study.

Study Organization (Research Organization/Design)

This study used a pre-experimental design (*one-group pretest-posttest*) which was carried out for 8 weeks with 16 meetings . VO_{2max} measurements were carried out twice, namely before the intervention (pretest) and after the intervention (posttest). The intervention consisted of a game-based training program delivered three times per week. Each training session consisted of a 15-minute warm-up, 20–30 minutes of game-based core training, and a 10-minute cool-down.

Game formats used include 3 vs. 3, 4 vs. 4, and 5 vs. 5, with modified court sizes to help control the intensity of the training. The work and rest ratio is set at 1:1 (e.g. 4 × 4 minutes of play interspersed with 4 minutes of recovery). Exercise intensity is monitored using the Rate of Perceived Exertion (RPE) scale.

VO₂max was estimated using the Multistage Fitness Test (Beep Test). The final level and shuttle reached by each player were recorded, then converted to a VO₂max value (ml/kg/min) according to standard conversion procedures.

Statistical Analysis

Data were analyzed using descriptive statistics including mean, standard deviation , minimum, and maximum values. Normality tests were performed using the Shapiro–Wilk test. Differences in VO₂max values between the pretest and posttest were analyzed using a paired t-test, with a significance level set at $\alpha = 0.05$.

Results

Descriptive Statistics

Table 1. Descriptive Statistics of Pretest and Posttest VO₂ max Scores

Variables	N	Min	Max	Mean	Elementary School
VO ₂ max Pretest	20	37.0	49.0	43.20	3.60
VO ₂ max Posttest	20	41.0	53.0	47.00	3.40

Based on descriptive statistics, the average VO₂max value increased from 43.20 ± 3.60 ml/kg/min in the pretest to 47.00 ± 3.40 ml/kg/min in the posttest. Thus, there was an average increase of 3.80 ml /kg/min after the game-based exercise intervention.

Normality Test

The Shapiro–Wilk test results showed that VO₂max data in the pretest and posttest were normally distributed ($p > 0.05$). Therefore, the analysis of pretest–posttest differences was continued using parametric tests.

Paired t-test

Table 2. Paired-Samples t-Test Results for Pretest and Posttest VO₂ max

Variables	Mean Difference	t	df	p
VO ₂ max Pre–Post	-3,800	-6,800	19	0,000

13 *t*-test results showed a significant difference between the pretest and posttest VO₂max values ($t = -6.800$; $df = 19$; $p < 0.001$). This finding confirms that the 8-week game-based training program significantly increased the VO₂max of SSB Nggaro Lembo Sape U15 players.

Discussion

The results showed that an 8-week *game-based training program* significantly increased VO₂max in U15 players. The average increase of 3.80 ml /kg/min indicates significant aerobic adaptations, potentially supporting players' ability to maintain work intensity and accelerate recovery during repetitive activities in training and matches.

Physiologically, game-based training encourages intermittent activity patterns dominated by moderate- to high-intensity running, which more closely resembles the demands of competition than conventional running training. This can stimulate adaptations in the cardiovascular and metabolic systems, such as increased cardiac efficiency, improved oxygen transport capacity, and increased muscle oxygen utilization. Furthermore, the use of modified pitches and reduced-player game formats (e.g., 3v3–5v5) tends to increase player engagement, frequency of action, and total activity per unit of time, resulting in a more consistent and effective aerobic stimulus.

From a practical perspective, *game-based training* offers a dual benefit: in addition to improving physiological capacity (aerobic endurance), it also enhances technical and tactical aspects through quick decision-making, transitions, and spatial awareness. Therefore, coaches are advised to structure *game-based sessions* by adjusting the number of players, field size, game rules, and work-rest durations to ensure that training intensity can be controlled according to the goal (e.g., developing aerobic endurance).

24 However, this study has limitations, particularly the lack of a control group and the relatively small sample size, so generalization of the findings should be done with caution. Future research is recommended to use an experimental design with a control group or a *randomized controlled trial*, involving a larger sample size, and incorporating more objective measures of training load such as heart rate monitoring, GPS, or other internal load indicators to strengthen the interpretation of the relationship between training dose and changes in VO₂max.

Conclusions

8-week *game-based training program* has been shown to significantly improve VO₂max of SSB Nggaro Lembo Sape U15 players. With training characteristics that mimic the demands of a match, this method is worthy of recommendation as an integrated, practical, and relevant aerobic endurance development strategy for implementation in youth soccer development programs .

6 Acknowledgment

The authors would like to thank the administrators and coaches of SSB Nggaro Lembo Sape for their support, facilities, and guidance during the training program. They also thank all

the SSB Nggaro Lembo Sape U15 players for their participation and discipline, and the parents/guardians who granted permission and supported the smooth running of this research.

References

- Chen, X., Zheng, R., Xiong, B., Huang, X., & Gong, B. (2023). Comparison of the physiological responses and time-motion characteristics during football small-sided games: Effect of pressure on the ball. *Frontiers in Physiology*, *14*, 1167624. <https://doi.org/10.3389/fphys.2023.1167624>
- Chmura, P., Chmura, J., Chodor, W., Drożdżowski, A., Rokita, A., & Konefał, M. (2023). The effects of high-intensity interval training at the anaerobic and psychomotor fatigue thresholds on physiological parameters in young soccer players: A prospective study. *Frontiers in Physiology*, *14*, 1221121. <https://doi.org/10.3389/fphys.2023.1221121>
- Clemente, F. M., Ramirez-Campillo, R., Sarmiento, H., Praça, G. M., Afonso, J., Silva, A. F., Rosemann, T., & Knechtle, B. (2021). Effects of Small-Sided Game Interventions on the Technical Execution and Tactical Behaviors of Young and Youth Team Sports Players: A Systematic Review and Meta-Analysis. *Frontiers in Psychology*, *12*, 667041. <https://doi.org/10.3389/fpsyg.2021.667041>
- Düking, P., Ruf, L., Altmann, S., Thron, M., Kunz, P., & Sperlich, B. (2024). Assessment of Maximum Oxygen Uptake in Elite Youth Soccer Players: A Comparative Analysis of Smartwatch Technology, Yoyo Intermittent Recovery Test 2, and Respiratory Gas Analysis. *Journal of Sports Science and Medicine*, 351–357. <https://doi.org/10.52082/jssm.2024.351>
- Guo, H. (2025). Risk identification and improvement strategies for BMI and physical fitness and health grade cross-classification: A cross-sectional study based on Chinese college students. *Frontiers in Public Health*, *13*, 1660686. <https://doi.org/10.3389/fpubh.2025.1660686>
- Hung, C.-H., Su, C.-H., & Wang, D. (2025). The Role of High-Intensity Interval Training (HIIT) in Neuromuscular Adaptations: Implications for Strength and Power Development—A Review. *Life*, *15*(4), 657. <https://doi.org/10.3390/life15040657>
- Jastrzębski, Z., Wakuluk-Lewandowska, D., Arslan, E., Kilit, B., Soylu, Y., & Radzimiński, Ł. (2024). Effects of Eight-Week Game-Based High-Intensity Interval Training Performed on Different Pitch Dimensions on the Level of Physical Capacity and Time-Motion Responses in Youth Soccer Players. *Journal of Human Kinetics*. <https://doi.org/10.5114/jhk/190842>
- Kang, Z., Chen, Z., & Liu, G. (2024). Can heat conditions affect the heart rate responses, perception of effort, and technical performance of young male football players during small-sided games? A comparative study. *BMC Sports Science, Medicine and Rehabilitation*, *16*(1), 174. <https://doi.org/10.1186/s13102-024-00970-x>
- Karahan, M. (2020). Effect of skill-based training vs. Small-sided games on physical performance improvement in young soccer players. *Biology of Sport*, *37*(3), 305–312. <https://doi.org/10.5114/biolsport.2020.96319>
- Kuswoyo, D. D., & Betaubun, P. (2019). Relationship between speed with dribbling skills on the students of physical education department in playing football at Universitas Musamus. *International Journal of Advanced Research in Engineering and Technology*, *10*(6), Article 6. <https://doi.org/10.34218/IJARET.10.6.2019.006>
- Kuswoyo, D. D., Pramono, H., & Rifai, A. (2017). Kontribusi Percaya Diri, Konsentrasi dan Motivasi terhadap Kinerja Wasit Persatuan Sepak Bola Seluruh Indonesia Provinsi Sumatera Selatan.

Journal of Physical Education and Sports, 6(3), Article 3.
<http://journal.unnes.ac.id/sju/index.php/jpes>

Kuswoyo, D. D., Wasa, C., & Dongoran, M. F. (2020). Back-up training effects to the students' ability in heading the ball. *Edu Sportivo Indonesian Journal of Physical Education*, 1(1), Article 1. [https://doi.org/10.25299/es:ijope.2020.vol1\(1\).5190%0AHow](https://doi.org/10.25299/es:ijope.2020.vol1(1).5190%0AHow)

Mănescu, D. C. (2025). Big Data Analytics Framework for Decision-Making in Sports Performance Optimization. *Data*, 10(7), 116. <https://doi.org/10.3390/data10070116>

Moore, L. (2026). *Olympic sport policy as a 'sociological problem.'* <https://doi.org/10.21954/OU.RO.00108092>

Pancar, Z., Akay, M. K., İlhan, M. T., Karaday, E., Karaca, B., Ulema, M. S., Taşdoğan, A. M., Makaracı, Y., & González-Fernández, F. T. (2025). Effects of Intermittent Versus Continuous Small-Sided Games on Athletic Performance in Male Youth Soccer Players: A Pilot Study. *Life*, 15(3), 364. <https://doi.org/10.3390/life15030364>

Piotrowski, T., Makaruk, H., Tekień, E., Feleszko, W., Kołodziej, M., Albrecht, K., Grela, K., Makuch, R., Werner, B., & Gaśior, J. S. (2025). Fundamental Movement/Motor Skills as an Important Component of Physical Literacy and Bridge to Physical Activity: A Scoping Review. *Children*, 12(10), 1406. <https://doi.org/10.3390/children12101406>

Purwanto, D., Murtono, T., Sardiman, S., & Arifyadi, A. (2025). Psychological and physiological integration in developing futsal passing skills among students. *Pedagogy of Physical Culture and Sports*, 29(5), 475–481. <https://doi.org/10.15561/26649837.2025.0509>

Rumpoko, S. S., Sunjoyo, Yudhanto, S. H., & Cahayana, T. (2025). Flashcard Augmented Reality as an Interactive Solution in Swimming Learning in the Digital Era. *ICEETE Conference Series*, 3(1), 55–61. <https://doi.org/10.36728/iceete.v3i1.230>

Selmi, O., Ouergui, I., Levitt, D. E., Nikolaidis, P. T., Knechtle, B., & Bouassida, A. (2020). Small-Sided Games are More Enjoyable Than High-Intensity Interval Training of Similar Exercise Intensity in Soccer. *Open Access Journal of Sports Medicine, Volume 11*, 77–84. <https://doi.org/10.2147/OAJSM.S244512>

Tampi, S. M., Marsuki, M., & Wanimbo, D. (2025). The Relationship Between Arm Muscle Strength And The Ability To Hit A Kasti Ball Of Class V Students Of Inpres Primary School, Skow Mabo Village, Muaratami District, Ta. 2023/2024. *Jurnal Pendidikan Jasmani (JPJ)*, 5(3), 224–231. <https://doi.org/10.55081/jpj.v5i3.3193>

Effects of an Eight-Week Game-Based Training Program on VO₂max in U15 Players at SSB Nggar Sape

ORIGINALITY REPORT

18%

SIMILARITY INDEX

%

INTERNET SOURCES

18%

PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

- 1** Wico Jontarudi Tarigan, Mahaitin H Sinaga. "Analisis Pengukuran Kinerja Untuk Mengevaluasi Perencanaan Strategis Dengan Menggunakan Balance Scorecard", Owne 2022
Publication
- 2** Rahmi Amtha, Ferry Sandra, Rosalina Tjandrawinata, Indrayadi Gunardi, Anggraeny Put Sekar Palupi. "Current Research and Trends in Dental and Medical Technology", CRC Press, 2025
Publication
- 3** Roas Irsyada, Hasna Tri Oktavia. "Training Method on the Passing Accuracy of Basketball by Modified Small-Sided Games for Physical Education Senior High School", Jurnal Pendidikan Progresif, 2026
Publication
- 4** Sohom Saha, Simran Obhrai, Richa Vishwakarma, Prabir Mondal, Nagesh, Bharat Prasa Kautilya Upadhyay, Dev Karan Singh. "Clarifying the Impact of Small-Sided Games and I on Anaerobic Endurance in Adolescent Hockey Players", Physical Education Theory and Methodology, 2025
Publication
- 5** Fahmi Miftahul Murdiyanto, Achmad Widodo, Irmantara Subagio, Taufiq Hidayat, Muhammad Muhammad, Soni Sulistyarto. "Standardization of Lower Limb explosive Power and VO₂max in Volleyball Athletes Aged 17–21 Years", INSPIREE: Indonesian Spor Innovation Review, 2026
Publication
- 6** "Proceedings of the 6th Yogyakarta International Seminar on Health, Physical Education and Sports Science", Springer Science and Business Media LLC, 2025
Publication
- 7** Dian Budiana, Achmad Syakur Fahri, Jusuf Blegur. "Sex Differences in Gross Motor Quotient among Students: Evidence from TGMD-2 Assessment", Physical Education Theory and Methodology, 2026
Publication
- 8** Moses H Gnanasigamani, Jennifer M Kiruba, Paweł Chmura. "Multifactorial Thresholds Psychomotor Fatigue in Soccer: A Systematic Review and Meta-Analysis of Randomized Controlled Trials", Journal of Human Kinetics, 2026
Publication

9 Florian A. Engel, Lukas Masur, Billy Sperlich, Peter Dürking. "Validity of $\dot{V}O_{2\max}$ estimate from the forerunner 245 smartwatch in highly vs. moderately trained endurance athletes", *European Journal of Applied Physiology*, 2025

Publication

10 Rosida Afriani, Anwar Anwar, Salahudin Salahudin. "The effect of traditional GOPA game on improving the physical fitness of grade v elementary school students", *Jurnal Maenq Jurnal Pendidikan Jasmani Kesehatan dan Rekreasi*, 2026

Publication

11 Firdaus Firdaus, Taty Hartati, Rabwan Satriawan, Shutan Arieq Shandi, Nor Fazila Abd Malek. "A comparison of $VO_{2\max}$ response of 15-year-old soccer athletes based on training time in the tropical climate of Bima", *Physical Education and Sports: Studies and Research*, 2026

Publication

12 Barış Baydemir, Zülbiye Kaçay, Laurentiu-Gabriel Talaghir, Paula Ivan. "Effects of concurrent training on speed and agility performance in soccer referees", *Frontiers in Physiology*, 2026

Publication

13 Teguh Santosa, Rivan Saghita Pratama, Fatkhul Imron, Ali MD Nadzalan. "Effectiveness Return Board To Improving Forehand Drive Table Tennis In Jawa Tengah", *Retos*, 2024

Publication

14 Deepali Bidhuri, Sheetal Kalra, Mohammad Miraj, Puneeta Ajmera et al. "High-intensity interval training versus plyometric training on performance measures among recreational runners: a randomized controlled trial", *BMC Sports Science, Medicine and Rehabilitation*, 2026

Publication

15 Ersan Arslan, Yusuf Soylu, Ana Filipa Silva, Osman Yilmaz, Bulent Kilit, Neslihan Akçay, Lukasz Radziminski, Ladislav Batalik. "Can heat stress affect the psychophysiological responses and locomotor demands of young soccer players during small-sided soccer games?", *PLOS One*, 2026

Publication

16 Henryk Duda, Łukasz Rydzik, Leszek Sawicki, Krzysztof Kasicki et al. "Effects of a Creative Teaching-Based Training Programme on Tactical Knowledge, Technical-Tactical Efficiency and Game Performance in U11–U12 Youth Football: A Quasi-Experimental Study", *Applied Sciences*, 2026

Publication

17 I Dewa Made Aryananda Wijaya Kusuma, Nining Widyah Kusnanik, Bayu Agung Pramono Adi Pranoto et al. "Anaerobic Soccer Training Model: Enhancing Soccer Players' Performance through a Combination of Repeated Sprints and 4 vs 4 Games", *Physical Education Theory and Methodology*, 2024

Publication

-
- 18 Ivonnia Marcela Flores Bravo. "The Evolution of Body Image in School-Aged Children: A Decade of Research and Insights", PsyArXiv, 2025
Publication
-
- 19 Martínez-Hernández, David. "Enhancement of Change of Direction Performance in Professional Female Soccer Players.", University of Salford (United Kingdom)
Publication
-
- 20 Asriyadin, Syahriani Yulianci, Ida Kaniawati, Winny Liliawati. "The formation of students scientific attitudes through the neuroscience-based inquiry model in physics learning", Publishing, 2021
Publication
-
- 21 Mostafa Errama, Mustapha Bassiri, Jafaar Atifi, Said Lotfi. "Comparative Analysis of the Effects of Reduced Positional Games and Traditional Training on the Physical and Technical Performance of Young Soccer Players in Training", Physical Education Theory and Methodology, 2024
Publication
-
- 22 Nick Gearing, Matt Bridge. "How do small-sided games play a role in skill acquisition in most productive European Football Academies? Insights from Coaches Developing Europe's Top-Tier Players", Football Studies, 2026
Publication
-
- 23 Shuhao Li, Liang Tan, Weihua Yan. "Comparative efficacy of different training modes or physical fitness in soccer (football) players: a systematic review and network meta-analysis incorporating randomized controlled trials", BMC Sports Science, Medicine and Rehabilitation, 2026
Publication
-
- 24 I Dewa Made Aryananda Wijaya Kusuma, Nining Widyah Kusnanik, Bayu Agung Pramor Adi Pranoto et al. "Physiological Response to Speed Endurance Soccer Training in Amat Players", Physical Education Theory and Methodology, 2024
Publication
-
- 25 Okba Selmi, Danielle E. Levitt, Bilel Aydi, Waad Ferhi, Anissa Bouassida. "Verbal Encouragement Improves Game Intensity, Technical Aspects, and Psychological Responses During Soccer-Specific Training", International Journal of Sports Physiology & Performance, 2023
Publication
-
- 26 Younesi, Saeid. "Application of Small-Sided Games in Professional Soccer: Understanding the Usefulness of Small-Sided Games for Training and Monitoring", Universidade de Coimbra (Portugal), 2024
Publication
-
- 27 Laily Mita Andriana, Fransisca Januarumi Marhaendra Wijaya, Kunjung Ashadi, Adi Pranoto et al. "A pilates-based physiological recovery strategy to enhance post-exercise

recovery after high-intensity interval exercise", Pedagogy of Physical Culture and Sport: 2025

Publication

28

Manuel Matzka, Mascha Lenk, Benedikt Meixner, Billy Sperlich. "Meta-analysis of high-intensity interval training and alternative modalities for enhancing aerobic and anaerol endurance in young athletes", Physiological Reports, 2025

Publication

29

Mark Kramer, Mark Watson, Rosa Du Randt, Robert W. Pettitt. "Critical Speed as a Measure of Aerobic Fitness for Male Rugby Union Players", International Journal of Spo Physiology and Performance, 2019

Publication

Exclude quotes

On

Exclude matches

< 1 words

Exclude bibliography

On

Effects of an Eight-Week Game-Based Training Program on VO₂max in U15 Players at SSB Nggar Sape

GRADEMARK REPORT

FINAL GRADE

GENERAL COMMENTS

/0

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8